

PRODUCT INFORMATION MODEL OD2210 MON AMOUR

© 2022 KURT BEIER & KATI QUINGER





Functional back and functional armrest (fig. functional armrest, right)



Relax



Reclining position



OD2210 MON AMOUR

© 2022 KURT BEIER & KATI QUINGER

OD MON AMOUR: ABOVE THE CLOUDS.

THE GREAT SEDUCTION OF ESCAPING THE SOLID GROUND, FEELING THE WING OF THOUGHT. THE NEW BULLFROG ROCKING SOFA MAKES IT POSSIBLE TO LOUNGE, TO ENJOY THE SWINGING WHILE SITTING OR LYING DOWN. FROM SITTING TO RELAXING IN JUST A FEW EASY STEPS. OUR TRIED AND TESTED CONSTRUCTION WITH THE MULTI-ADJUSTABLE BACK AND ARM SECTION ALLOWS MANY CASUAL POSITIONS! UNIQUE PIECE PRODUCTION.

Base frame: metal, matt black fine structure powder-coated Attention! Maximum load: 200 kg



Additional protection against moisture penetration is provided by an inner cover made of waterproof fabric. The inner cover can be selected for the respective model

Processing options of main seam / decorative seam					
	Plain seam	Lap seam	KR* (zipper piping) Extra charge	Overcast seam Extra charge	Biese
Outdoor fabric	x				
Outdoor leather	х				
*Zipper piping: optionally in the colours black, red, nature or light grev.					

Please specify when ordering.

Outdoor innercover

at an extra charge.

Mounting material for rocking sofa Mon Amour (specify when ordering) optionally:

- Concrete ceiling attachment* SPB or
- Wood ceiling attachment* SPH
- Assembly set for made-to-measure products (for an extra charge): the clearance (floor to ceiling) must be specified exact to the centimetre (inch-perfect).
- Fastening set for FROGswing* SPRF

Delivery scope for Ceiling attachment:

- Fixing material for rocking joints (concrete or wood) (depending on order)
- Plastic coated wire rope: 4 pieces
- Rocking joints incl. carabines: 2 pieces
- 1 x Drilling template


Delivery scope for FROGswing:

- Fixing material for rocking joints Frogswing
- Plastic coated wire rope: 4 pieces
- Rocking joints incl. carabines: 2 pieces

* The rocking joints are galvanised metal as standard. For damp rooms such as wellness areas or in salty climates, the rocking joints can be ordered in V2A or V4A at an extra charge. Please specify with order.

Seat height at 238 cm (ceiling height/FROGswing): approx. 56 cm (center suspension point) 3 adjustment possibilities in 5 cm steps (possible seat heights with standard rope is approx. 51 cm / 56 cm / 61 cm)

The standard rope is suitable for a ceiling height of 233 cm - 243 cm.






OD2210 MON AMOUR


© 2022 KURT BEIER & KATI QUINGER


11.05.2023



Side view (Suspension P2)

Front view type 257 (Suspension P2)





Protective cover (waterproof):

Protective cover for type 257/258: SH257